

INDEX MAPS.

T. 8N, R. 3E. 2nd Mer.

	318		318		318-319		317-319		317-319		317-319	
322	6	326	5	331	4	335	3	340	2	347	1	347
	326		330		335		340		346		346	
321	7	325	8	330	9	335	10	339	11	345	12	316
	325		330		334		339		345		345	
321	18	325	17	329	16	334	15	338	14	344	13	316
	324		329		334		338		343		344	
320	19	324	20	328	21	333	22	337	23	343	24	316
	323		327-328		333		337		342		343	
320	30	323	29	328	28	332	27	337	26	342	25	315
	323		327		331		336		341		341	
320	31	322	32	327	33	332	34	336	35	340	36	315
	313		313		313		314		314		314	

T. 9N, R. 3E. 2nd Mer.

	355		354		354		354		354		353	
357	6	381	5	375	4	370	3	366	2	361	1	353
	381		381		374		370		365		361	
356	7	380	8	374	9	370	10	365	11	360	12	352
	380		379		374		369		364		360	
356	18	379	17	373	16	369	15	364	14	359	13	352
	379		378		373		368		363		359	
356	19	378	20	372	21	368	22	363	23	359	24	352
	377		377		372		367		363		358	
355	30	376	29	372	28	367	27	362	26	358	25	351
	376		376		371		367		362		357	
355	31	375	32	371	33	366	34	361	35	357	36	351
	349		349-350		349-350		349-350		349-351		349-351	

The figures on the lines refer to the page.

347

Township N. 9 North, Range N. 3 E, T. Mer. Indiana

South Boundary

Nest On Rand^m S. boundary of Sec. 36, T⁹N. R³E.
40.00 Let temp^y. q^r. Sec. post
50.50 a Branch 10 lks. wide runs South
80.00 Let temp^y. post for Cor. to Sec. 35 & 36, T⁹N. R³E.
May 31st 1819

Nest On Rand^m S. boundary of Sec. 35, T⁹N. R³E.
10.15 a Brook 6 lks. wide Cr. S. W.
40.00 Let temp^y. q^r. Sec. post
80.00 Let temp^y. post Cor. to Sec. 34 & 35, T⁹N. R³E.

Nest On Rand^m S. boundary of Sec. 34, T⁹N. R³E.
40.00 Let temp^y. q^r. Sec. post
50.25 a Branch 8 lks. wide Cr. North
80.00 Let temp^y. post Cor. to Sec. 33 & 34, T⁹N. R³E.

Nest On Rand^m S. boundary of Sec. 33, T⁹N. R³E.
40.00 Let temp^y. q^r. Sec. post
80.00 Let temp^y. Sec. post Cor. to Sec. 32 & 33, T⁹N. R³E.

Nest On Rand^m S. boundary of Sec. 32, T⁹N. R³E.
40.00 Let temp^y. q^r. Sec. post
80.00 Let temp^y. Sec. post Cor. to Sec. 31 & 32, T⁹N. R³E.

Nest On Rand^m S. boundary of Sec. 31, T⁹N. R³E.
40.00 Let temp^y. q^r. Sec. post
87.25 Intersected the Corner of T. 8 & 9 N. R. 2 & 3 E.
June 1st 1819

East On true line S. boundary of Sec. 31, T⁹N. R³E.
47.25 Let the q^r. Sec. post, from which
a W. Oak 15 in. dia. bran N 60 W 17 lks. dist. of

T9 N. R3 E. 2ⁿ. Mer. Indiana

a cheenut Oak 12 in. dia. bray S55 E 15 lks. dist.
 87.25 Let a post Cor. to Sec. 31 & 32, from which
 a Sassafras 4 in. dia. bray N79 1/2 E 7 lks. dist. of
 a Hickory 6 " " " N17 W 11 " "
 This mile over very rough, Broken, brushy land
 timber Oak, Hickory &c. undgth Sassafras & greenbrier

East On true line S. boundary of Sec. 32, T9 N. R3 E.
 40.00 Let the g. Sec. post, from which
 a chest. Oak 27 in. dia. bray N66 1/2 W 4 lks. dist. of
 a Dogwood 4 " " " N29 E 23 " "
 80.00 Let a post Cor. to Sec. 32 & 33, from which
 a W. Oak 15 in. dia. bray N87 E 28 lks. dist. of
 a B. Oak 30 " " " N77 W 65 " "
 Over knobs, timber Oak, undgth Sassafras
 Hucklebary, greenbrier &c. Stony land

East On true line S. boundary of Sec. 33, T9 N. R3 E.
 40.00 Let the g. Sec. post, from which
 a W. Oak 14 in. dia. bray S8 W 43 lks. dist. of
 a Do 18 " " " N67 E 49 " "
 80.00 Let a post Cor. to Sec. 33 & 34, from which
 a W. Oak 15 in. dia. bray N85 1/2 E 6 lks. dist. of
 a Do 12 " " " N61 W 32 " "
 Over broken land land, timber Oak, undgth
 Oak, Hucklebary, Sassafras &c.

East On true line S. boundary of Sec. 34, T9 N. R3 E.
 40.00 Let the g. Sec. post, from which
 a W. Oak 18 in. dia. bray S76 E 14 lks. dist. of
 a Do 15 " " " N81 W 44 " "
 80.00 Let a post Cor. to Sec. 34 & 35, T9 N. R3 E from
 which a W. Oak 13 in. dia. bray N47 W 38 lks. dist. of

T9 N. R3 E. 2^d. Mer. Indiana

a W. Oak 15 in. dia. bray S 17¹/₂ W 30 lks. dist. of
Over knobs, timber Oak &c. undergth green briar,
Aechlebury &c.

East On true line S. boundary of Sec. 35, T9 N. R3 E.

40.00 Set the q. Sec. post, from which

a Gum 8 in. dia. bray S 13¹/₂ E 14 lks. dist. of

a Hickory 7 " " " S 7¹/₂ W 18 " "

80.00 Set a post Cor. to Sec. 35 & 36, from which

a W. Oak 20 in. dia. bray N 87¹/₂ W 12 lks. dist. of

a Do 15 " " " N 50¹/₂ E 24 " "

Over very broken brushy land, timber Oak,
undergth Dogwood & Sassafras

East On true, line S. boundary of Sec. 36, T9 N. R3 E.

40.00 Set the q. Sec. post, from which

a W. Oak 15 in. dia. bray S 37¹/₂ E 25 lks. dist. of

a Do 14 " " " N 46¹/₂ W 31 " "

80.00 to Town Corner. June 14th. 1819.

East Boundary var. 7.00' E.
North On E. boundary of Sec. 36, T9 N. R3 E.

23.18 an Oak 18 in. dia.

40.00 Set the q. Sec. post, from which

a W. Oak 14 in. dia. bray S 43¹/₂ E 9 lks. dist. of

a Do 7 " " " N 63¹/₂ W 19 " "

66.50 a Brook 10 lks. wide Course West

80.00 Set a post Cor. to Sec. 25 & 36, from which

a Poplar 20 in. dia. bray N 81¹/₂ E 9 lks. dist. of

Over very broken land, timber Oak &c. undgth Oak &c.

North On E. boundary of Sec. 25, T9 N. R3 E.

7.50 a Brook 15 lks. wide Course West

T8N-R3E, 2nd Mer. Indiana

- 40.00 Let the q^r. Sec. post, from which
a Beech 10 in. dia. bear N42 E 20 lks. dist. &
a Do 8 " " " N41 E 16 " "
- 63.70 a P. Oak 18 in. dia.
- 80.00 Let a post Cor. to Secs. 24 & 25, from which
an Oak 20 in. dia. bear N83 W 10 lks. dist. &
a Do - " " " N69 E 20 " "
Over bushy broken land, timber Oak &c.

North On E. boundary of Sec. 24, T9N-R3E

- 4.90 a Creek 20 lks. wide Course West
- 40.00 Let the q^r. Sec. post, from which
a Sugar 12 in. dia. bear N84 W 7 lks. dist. &
a Poplar 36 " " " East 28 " "
- 80.00 Let a post Cor. to Secs. 13 & 24, T9N-R3E, from which
a W. Oak 24 in. dia. bear S45 W 21 lks. dist. &
a Hickory 16 " " " N71 E 12 " "
Over bushy broken land, timber Oak &c.

North On E. boundary of Sec. 13, T9N-R3E.

- 40.00 Let the q^r. Sec. post, from which
a W. Oak 18 in. dia. bear S7 W 27 lks. dist. &
a Beech 12 " " " N33 E 32 " "
- 80.00 Let a post Cor. to Secs. 12 & 13, from which
a Beech 10 in. dia. bear S87 E 18 lks. dist. &
a Do 14 " " " N70 W 21 " "
Over bushy broken land, timber Oak &c.

North On E. boundary of Sec. 12, T9N-R3E.

- 13.50 a Brook 10 lks. wide Course West
- 40.00 Let the q^r. Sec. post, from which
a Beech 20 in. dia. bear S73 E 15 lks. dist. &
a Hognwood 4 " " " S3 E 4 " "

T8N R3 E. 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 1 of 12, T9N. R3 E, from which
 a Beech 5 in. dia. bray N67 E 7 lks. dist. of
 a W. Oak 20 " " " S55 E 15 " "
 Over Mountains, timber Oak &c.

North On E. boundary of Sec. 1, T9N. R3 E.

32.70 a Creek 150 lks. wide Cr. West

40.00 Set the g. Sec. post from which
 a Sugar 18 in. dia. bray S10 E 28 lks. dist. of
 an Elm 20 " " " N23 W 34 " "

52.60 a Sugar 15 " "

65.00 a Creek 150 lks. wide Cr. S. E.

80.00 Set a post Cor. to Towns 9 of 10 North, Ranges
 3 & 4 East, from which
 a Beech 6 in. dia. bray S31 W 14 lks. dist. of
 a Sugar 10 " " " S48 E 5 " "
 First 1/2 Mile Over a Mountain - last 1/2 mile
 Creek bottom low grounds good Soil
 June 5th 1819

North Boundary var. 7° 15' E

West On S. boundary of Sec. 36, T10N. R3 E.

1.25 a Creek 80 lks. wide Cr. South

8.00 a Poplar 36 in. dia.

40.00 Set the g. Sec. post, from which
 a W. Oak 12 in. dia. bray S50 E 18 lks. dist. of
 a Oak 13 " " " N44 W 31 " "

68.41 a W. Oak 24 " "

80.00 Set a post Cor. to Sec. 35 of 36, T10N. R3 E, from which
 a W. Oak 10 in. dia. bray N62 W 13 lks. dist. of
 a Hickory 12 " " " S16 E 12 " "
 Over Mountains, timber Oak &c.

T9N-R3E, 2^d Mer. Indiana

Nest On S. boundary of Sec. 35, T10N. R3E.
23.50 a W. Oak 18 in. dia.

40.00 Let the q. Sec. post, from which
a Dogwood 6 in. dia. bran N80 E 19 lks. dist
of an Oak 14 " " " N68 W 5 " "

57.41 an Oak 14 in. dia.

80.00 Let a post Cor. to Sec. 34 & 35, T10N. R3E, from which
a Beech 8 in. dia. bran N64 E 31 lks. dist. of
a W. Oak 30 " " " S5 W 29 " "
Over very broken land, timber Oak &c.

Nest On S. boundary of Sec. 34, T10N. R3E.

40.00 Let the q. Sec. post, from which
a W. Oak 12 in. dia. bran S63 E 5 lks. dist. of
a Do 24 " " " S10 E 3 " "

61.16 a Hickory 20 " "

80.00 Let a post Cor. to Sec. 33 & 34, T10N. R3E, from which
a Lycamore 24 in. dia. bran S53 E 4 lks. dist. of
a Hornbeam 8 " " " N64 E 20 " "
Over Broken land, timber Oak, Beech &c.

Nest On S. boundary of Sec. 33, T10N. R3E.

0.10 at Brook 15 lks. wide run. N.W.

40.00 Let the q. Sec. post, from which
a Gum 13 in. dia. bran N84 E 22 lks. dist. of
a Beech - " " " N25 W 23 " "

50.59 a Hickory 30 in. dia.

80.00 Let a post Cor. to Sec. 32 & 33, T10N. R3E, from which
an Ash 12 in. dia. bran S85 E 28 lks. dist. of
a Hickory 10 " " " N40 W 16 " "
Over broken land, timber Oak, Hickory &c

Nest On S. boundary of Sec. 32, T10N. R3E.

T9 N. R3 E. 2^d. Mer. Indiana

- 8.62 a Poplar 30 in. dia.
 40.00 At the q. Sec. post, from which
 a Beech 12 in. dia. bear S 77 W 19 lbs. dist. of
 a Gum 16 " " " N 59 E 12 " "
 80.00 At a post Cor. to Sec. 31 & 32, T10 N. R3 E, from which
 an Oak 20 in. dia. bear S 39 E 27 lbs. dist. of
 a Ho 20 " " " N 44 E 12 " "
 Over very broken land, Oak &c.

- Nest On S. boundary of Sec. 31, T10 N. R3 E.
 40.00 At the q. Sec. post, from which
 a Gum 6 in. dia. bear N 82 W 14 lbs. dist. of
 a W. Oak 12 " " " S 82 E 19 " "
 73.14 Intersected the Range line between Ranges
 2 & 3 East, Towns 9 & 10 North
 Over broken land, timber Oak &c.
 June 21st 1819.

- Nest Boundary var. 6° 45' E.
 North On E. boundary of Sec. 36, T9 N. R2 E.
 40.00 At the q. Sec. post, from which
 a Beech 9 in. dia. bear S 7 E 29 lbs. dist. of
 a Hickory 9 " " " N 34 W 11 " "
 75.50 a Brook 15 lbs. wide Course N.W.
 80.00 At a post Cor. to Sec. 25 & 36, T9 N. R2 E, from which
 a W. Oak 18 in. dia. bear S 45 W 9 lbs. dist. of
 a Ho 18 " " " N 6 E 40 " "
 Over broken land timber Oak &c.

- North On E. boundary of Sec. 25, T9 N. R2 E.
 34.90 a Brook 15 lbs. wide Course N.W.
 40.00 At the q. Sec. post, from which
 a Beech 12 in. dia. bear S 5 E 8 lbs. dist. of

T9N R3E, 2^d. Mer. Indiana

a W. Oak 20 in. diam. beam S 31° W 29 lks. dist. of
 69.70 at Brook 10 lks. wide Course —
 80.00 Set a post Cor. to Sec. 24 & 25, T9N. R2E, from which
 a Hickory 12 in. diam. beam S 32° W 18 lks. dist. of
 a Beech 10 " " " N 39° E 28 " "
 Over broken land timber Oak &c.

North On E. boundary of Sec. 24, T9N. R2E
 18.70 a Creek 150 lks. wide Course W.
 22.50 Same 150 " " " S. E.
 40.00 Set the q. Sec. post, from which
 a Beech 7 in. diam. beam S 7° W 3 lks. dist. of
 a Sugar 6 " " " S 66° E 4 " "
 46.50 a Creek 150 lks. wide Course S. W.
 80.00 Set a post Cor. to Sec. 13 & 24, T9N. R2E, from which
 a W. Oak 8 in. diam. beam S 35° E. 12 lks. dist. of
 a Do 9 " " " N 42° W 5 " "
 Over Creek bottom, timber Oak &c.

North On E. boundary of Sec. 13, T9N. R2E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 13 in. diam. beam S 7° W 25 lks. dist. of
 an Ironwood 6 " " " S 65° W 10 " "
 80.00 Set a post Cor. to Sec. 12 & 13, T9N. R2E, from which
 a Beech 10 in. diam. beam S 38° E 24 lks. dist. of
 a B. Oak 8 " " " N 4° W 15 " "
 Over broken brushy land

North On E. boundary of Sec. 12, T9N. R2E.
 40.00 Set the q. Sec. post, from which
 a Beech 9 in. diam. beam S 15° E 9 lks. dist. of
 a Span^d. Oak 24 " " " S 61° W 7 " "
 80.00 Set a post, Cor. to Sec. 14 & 12, T9N. R2E, from which

T9N R3E. 2^d Mer. Indiana

a Gum 18 in. dia. bear N 17 E 6 lks. dist. of
 a Sugar 10 " " " N 72 W 20 " "
 Over broken land, timber Oak &c.

North On E. boundary of Sec. 1, T9N, R2E.

40.00 Set the q. Sec. post, from which
 a Sugar 12 in. dia. bear N 83 E 10 lks. dist. of
 an Iron? — " " " N 82 W 11 " "

68.50 at Brook 10 lks. wide Course S.E.

70.24 Set a post Cor. to Towns 9 & 10 North, Ranges
 2 & 3 East. from which
 a Beech 8 in. dia. bear N 57 E 10 lks. dist. of
 a do 8 " " " N 66 W 6 " "
 Over broken land, timber Oak &c.
 "I am almost out done by the hills"

June 22nd 1819

Surveyed by John M. McDonald, Dep. Sur.

Subdivision. Sept. 16th 1819

North Between Sec. 36, & 35, T9N, R3E.

35.50 a W. Oak 18 in. dia.

40.00 Set the q. Sec. post, from which
 a B. Oak 6 in. dia. bear North 11 lks. dist. of
 a Beech 14 " " " N 12 E 30 " "

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
 a Poplar 14 in. dia. bear N 20 E 33 lks. dist. of
 a Gum 10 " " " S 9 E 6 " "

Land hilly and thickly timber (scattering)
 W. & B. Oak, Poplar, Gum &c. under Iron?
 Hogwood Lassafras &c. 3^d rate

East On Random between Sec. 25 & 36, T9N, R3E.

40.00 Set temp. q. Sec. post

T9 N R3 E. 2^d. Mer. Indiana

81.90 Intersected the E. boundary 100 lks. S. of post
Land very hilly & poor & thickly - timber
Scattering W & C. Oak, Hickory & Gum, undg.
W. Oak, Hickory, Sassafras &c. 3^d. rate

West Corrected between Sec. 25 & 26, T9 N, R3 E.
40.95 Set q. Sec. post at average dist. from which
a W. Oak 18 in. dia. beam N 43° W 12 1/2 lks. dist.
No other timber near
81.90 to Sec. Corner

North Between Sec. 25 & 26, T9 N, R3 E.
31.10 a W. Oak 24 in. dia. in line
40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. beam S 59° W 5 lks. dist. &
a Hickory 5 " " " N 34° E 10 " "
45.00 a Creek 50 lks. wide Cr. S 40° W
61.30 an Ash 24 in. dia. in the line
80.00 Set a post Cor. to Sec. 23, 24, 25 & 26 from which
a Hickory 12 in. dia. beam N 41° E 17 lks. dist. &
an Ironwood 6 " " " N 64 1/2° W 26 " "
Land very hilly, except along the Creek
timber W & C. Oak, Poplar, Beech &c.

East On Rand. between Sec. 24 & 25, T9 N, R3 E.
40.00 Set temp. q. Sec. post,
68.50 a Creek 50 lks. wide Cr. S 10° W
81.30 Intersected the E. boundary 218 lks. S. of post
Land rough & hilly, timber W & C. Oak, Hickory.
Some Sugar, Gum &c. 3^d. rate.

West Corrected between Sec. 24 & 25, T9 N, R3 E.
40.65 Set q. Sec. post at average dist. from which

T9 N. R3 E. 2^d. Mer. Indiana

a W. Oak 14 in. dia. bray N 52 W 20 lks. dist. of
 a Do 20 " " " S 51 E 37 " "
 81.30 to Sec. Cor. Sept. 17th 1819

North Between Secs. 23 & 24, T9 N. R3 E.

37.80 a W. Oak 14 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 3 in. dia. bray N 83 E 14 lks. dist. of
 a Poplar 6 " " " N 59 W 17 1/2 " "
 58.50 a W. Oak 24 " " in the line
 80.00 Set a post Cor. to Secs. 13, 14, 23 & 24, from which
 a Beech 18 in. dia. bray S 83 E 16 lks. dist. of
 a Do 13 " " " S 86 1/2 W 30 " "
 Land very hilly & broken, timber W. Oak
 Hickory, Gum, Beech &c. underg^d. Ironwood
 Dogwood, Sassafras &c. 3^d rate

East On Land^d between Secs. 13 & 24, T9 N. R3 E.

40.00 Set temp^y. q. Sec. post
 80.90 Intersected the N & S. line 226 lks. S. of post
 Land rough & thicketty, timber W. Oak,
 Hickory, Gum, Beech &c. underg^d. Ironw.
 Dogw. Sassafras &c. 3^d rate.

West Corrected between Secs. 13 & 24, T9 N. R3 E.

40.45 Set the q. Sec. post at average dist. from which
 a Beech 12 in. dia. bray N 69 E 16 1/2 lks. dist. of
 a Do 6 " " " N 55 1/2 W 15 " "
 80.90 to Sec. Corner. Dec. 24th 1819

North Between Secs. 13 & 14, T9 N. R3 E.

17.70 a W. Oak 30 in. dia. in the line
 40.00 Set the q. Sec. post, from which

T9 N. R3 E. 2nd. Mer. Indiana

- a Hickory 10 mi. dist. bear N 65 W 14 km. dist. of
 and Ash 5 " " " S 75 E 13 " "
 62.75 a Sugar 13 " " in the line
 67.75 a Brook 20 km. wide Course N 80 W
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 at Beech 16 mi. dist. bear N 68 E 14 km. dist. of
 a W. Oak 15 " " " S 89 W 22 " "
 Land poor & hilly, timber W & C. Oak and
 Hickory, undulating. Ironw? Dogw? &c.

- East On Random between Sec. 12 & 13, T9 N. R3 E.
 23.50 at Brook 20 km. wide Course S 45 W
 40.00 Set temp. g. Sec. post
 80.10 Intersected the E. boundary 98 km. S. of post
 Land very hilly & poor, timber W, W & C. Oak &
 Hickory, undulating. Dogwood & Ironwood

- West Corrected between Sec. 12 & 13, T9 N. R3 E.
 40.05 Set g. Sec. post at average dist. from which
 a W. Oak 16 mi. dist. bear N 46 W 20 km. dist. of
 a Beech 5 " " " S 50 E 14 " "
 80.10 to Sec. Corner.

- North Between Sec. 11 & 12, T9 N. R3 E.
 14.00 a Hickory 8 mi. dist. in the line
 31.00 a Stream 80 km. wide Course West
 36.50 do 80 " " " S 60 E.
 40.00 Set the g. Sec. post, from which
 a Sycamore 20 mi. dist. bear N 76 E 29 km. dist. of
 a do 26 " " " S 57 W 6 " "
 42.00 last mentioned Stream Course S 40 W
 54.60 a Hickory 24 mi. dist. in the line
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which

T9N R3E, 2^d Mer. Indiana

a Walnut 40 mi. diar. bear S33 E37 1/2th dist.
 a Buckeye 10 " " " N39 W4 " "
 Land poor & hilly except along the Creek, timber
 W.C. Oak, Sugar, Beech, undug. Dogwood & Ironwood.

East On Random between Sec. 1 & 12, T9N. R3E.
 2.00 a Stream 80 1/2th wide Cr. N10 E.

40.00 Let temp. q. Sec. post

80.00 Intersected the E. boundary 62 1/2th N. of
 the post. Land very hilly & poor, timber
 W. B. & L. Oak & Beech, undug. Dogwood & Ironwood.

West Corrected between Sec. 1 & 12, T9N. R3E.

40.00 Let the q. Sec. post at average dist. from which
 a B. Oak 30 mi. diar. bear N45 W22 1/2th dist.
 a B. Oak 10 " " " N64 E4 " "

80.00 to Sec. Corner.

North Between Sec. 1 & 2, T9N. R3E.

11.10 an Ash 14 mi. diar. in the line

40.00 Let the q. Sec. post, from which
 a Maple 6 mi. diar. bear S35 W66 1/2th dist.
 a Do 6 " " " N28 E34 " "

64.90 a B. Oak 18 " " in the line

79.75 Intersected the N. boundary 2.92 1/2th E. of
 post, let a post Cor. to Sec. 1 & 2, from which
 a B. Oak 5 mi. diar. bear N82 E30 1/2th dist.
 a W. Oak 13 " " " West 20 " "
 Land poor & hilly, timber W. B. Oak & Hickory
 undug. Dogwood & Ironwood

North Between Sec. 34 & 35, T9N. R3E

15.00 a Brook 8 1/2th wide Cr. N45 W.

T9N. R3E. 2^d. Mer. Indiana

- 18.50 a W. Oak 16 in. dia.
 40.00 Let the q. Sec. post, from which
 a Hickory 7 in. dia. bear S 19 W 39 lbs. dist. of
 a W. Oak 18 " " " N 70 E 50 " "
 75.30 a Beech 10 " "
 80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which
 a W. Oak 14 in. dia. bear S 5 E 85 lbs. dist. of
 a Do 12 " " " S 76 E 29 " "
 Land hilly & poor, timber W. & B. Oak & hickory
 under W. Oak, hickory & Sassafras

East On Random between Sec. 26 & 35, T9N. R3E.

- 40.00 Let temp. q. Sec. post
 49.00 a Brook 8 lbs. wide runs N 15 W.
 79.08 Intersected the N & S. line 82 lbs. N. of post
 Land very hilly & poor, timber W. & B. Oak and
 Hickory; under W. Oak, hickory & Sassafras

West On true line between Sec. 26 & 35, T9N. R3E.

- 39.54 Let q. Sec. post at average dist. from which
 a W. Oak 16 in. dia. bear S 30 E 37 lbs. dist. of
 a Do 24 " " " N 19 W 38 " "
 79.08 to Sec. Corner.

North Between Sec. 26 & 27, T9N. R3E.

- 13.00 a Brook 6 lbs. wide Course N 36 W
 21.70 a W. Oak 14 in. dia.
 33.50 a Creek 50 lbs. wide Cr. West
 40.00 Let the q. Sec. post, from which
 a Sugar 12 in. dia. bear S 61 W 2 lbs. dist. of
 a Do 12 " " " N 87 E 20 " "
 49.20 a W. Oak 15 " "
 76.00 a Brook 6 lbs. wide Cr. West

T9N-R3E. 2^d. Mer. Indiana

80.00 Let a post Cor. to Sec. 22, 23, 26 & 27, from which
 a Beech 5 mi. dist. bear S55E 13 lks. dist. of
 a W. Oak 14 " " " S72W 13 " "
 Sand hilly & poor, timber W & B. Oak & Hickory
 underg^g. Logwood, Ironwood & Sassafras

East On Rand^m. between Sec. 23 & 26, T9N. R3E.

4.00 at Brook 6 lks. run, S80W

40.00 Let temp^y. g^g. Sec. post

79.00 Intersected the N & S. line 135 lks. N. of post
 Sand hilly & poor, timber W & B. Oak & Hickory
 & Beech; underg^g. Logw^d. & Ironwood

West Corrected between Sec. 23 & 26, T9N. R3E.

39.50 Let g^g. Sec. post at average dist. from which
 a Sugar 12 mi. dist. bear N44E 31 lks. dist. of
 a Beech 12 " " " N76W 17 " "

79.00 to Sec. Corner

North Between Sec. 22 & 23, T9N. R3E.

11.50 a W. Oak 10 mi. dist.

40.00 Let the g^g. Sec. post, from which
 a Beech 12 mi. dist. bear N53E 15 lks. dist. of
 a Do 12 " " " S47W 39 " "

51.00 a W. Oak 39 " "

64.50 a Stream 100 lks. wide C. S. N60W

80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which
 a Hickory 7 mi. dist. bear N49E 14 lks. dist. of
 a W. Oak 7 " " " N81W 16 " "
 Sand hilly & poor, timber W & B. Oak, Hickory
 & Beech; underg^g. Logwood & Ironwood

East On Rand^m. between Sec. 14 & 23, T9N. R3E.

T9 N. R3 E. 2^d. Mer. Indiana

- 11.00 a Stream 100 lks. wide Cr. South
 40.00 Set temp^y. g^r. Sec. post
 79.08 Intersected the N & S. line 37 lks. N. of post
 Land hilly & poor, timber W. & B. Oak, hick^y
 & Beech, undgth. Dogwood, Ironwood &c.

- West Corrected betwⁿ. Secs. 14 & 23, T9 N. R3 E.
 39.54 Set g^r. Sec. post at average dist. from which
 a Hickory 5 m. dist. bear N 80 W 7 lks. dist. of
 a Beech 5 " " " N 82 W 16 " "
 79.08 to Section Corner Dec. 28th. 1819

- North Between Secs. 14 & 15, T9 N. R3 E.
 27.30 a W. Oak 8 m. dist.
 40.00 Set the g^r. Sec. post, from which
 a W. Oak 6 m. dist. bear S 25 W 37 lks. dist. of
 a do 12 " " " N 44 E 37 " "
 48.00 a Hickory 18 " "
 68.50 a Brook 10 lks. wide Cr. S 10 E.
 80.00 Set a post Cor. to Secs. 10, 11, 14 & 15, from which
 a B. Oak 6 m. dist. bear N 46 W 10 lks. dist. of
 a W. Oak 11 " " " N 37 E 32 " "
 Land very hilly & poor, timber W. Oak, B. Oak
 C. Oak & Hickory; undgth. Dogw. & Ironw.
 December 28th. 1819

- East On Rand^m. betwⁿ. Secs. 11 & 14, T9 N. R3 E.
 9.50 a Brook 8 lks. wide Course S 40 E.
 40.00 Set temp^y. g^r. Sec. post
 47.50 a Brook 6 lks. wide Course S 5 E.
 50.00 a Stream 80 lks. wide Cr. S 10 E.
 80.00 Intersected the N & S. line 142 lks. E. of post
 Land very hilly & poor, timber W. & B. Oak

T9 N. R3 E. 2nd Mer. Indiana

& Gum, undgth Dogwood & Ironwood

Nest Corrected between Sec. 11 & 14, T9 N. R3 E.
 40.00 Let the q. Sec. post, from which
 a W. Oak 16 in. dia. bray N51 W 19 lks. dist. of
 a Beech 7 " " " S77 E 15 " "
 80.00 to Sec. Corner

North Between Sec. 10 & 11, T9 N. R3 E.
 16.90 a W. Oak 7 in. dia.
 40.00 Let the q. Sec. post, from which
 a Chest. Oak 15 in. dia. bray N61 E 14 lks. dist. of
 a Do 8 " " " S37 W 24 " "
 50.00 a Brook 10 lks. wide C.S. S10 W
 63.13 a Chestnut Oak 10 in. dia.
 80.00 Let a post Cor. to Sec. 2, 3, 10 & 11, from which
 a Poplar 26 in. dia. bray N33 E 38 lks. dist. of
 a Beech 12 " " " N82 W 27 " "
 Land hilly & poor, timber W, B & C. Oaks & Beech
 undgth Dogwood & Hackberry

East On Rand^m between Sec. 2 & 11, T9 N. R3 E.
 32.50 a Brook 4 lks. wide C.S. S80 E.
 40.00 Let temp. q. Sec. post
 57.50 a Brook 6 lks. wide C.S. S10 W
 80.60 Intersected the N & S. line at the Corner
 Land very hilly & poor, timber W, B & C. Oaks &
 Hickory, undgth Dogwood & Hackberry

Nest Corrected between Sec. 2 & 11, T9 N. R3 E.
 40.30 Let the q. Sec. post at average dist. from
 which a Gum 6 in. dia. bray N61 E 28 lks. dist. of
 a Do 7 " " " S38 W 15 " "

T9 N. R 3 E. 2nd Mer. Indiana

80.60 to Section Corner.

North Between Sect. 2 & 3, T9 N. R 3 E.
 11.50 a W. Oak 15 in. dia.
 17.50 a Brook 10 lks. wide Course N 60 W
 40.00 Let the g. Sec. post, from which
 a Chest. Oak 20 in. dia. bear S 22 W 30 lks. dist. of
 a Sugar 14 " " " N 20 E 3 " "
 51.00 a Brook 8 lks. wide Course N 10 W
 67.20 a Poplar 24 in. dia.
 75.00 Intersected the N. boundary 295 lks. E. of post
 Let a post Cor. to Sect. 2 & 3, from which
 a Beech 11 in. dia. bear N 15 W 14 lks. dist. of
 a W. Oak 18 " " " N 14 E 40 " "
 Land poor & hilly, timber W. Oak & Beech
 undergth. Dogwood & Ironwood
 December 29th 1819

North Between Sect. 33 & 34, T9 N. R 3 E.
 22.00 a W. Oak 14 in. dia.
 35.00 a Brook 25 lks. wide Cr. S 20 E.
 40.00 Let the g. Sec. post, from which
 an Elm 5 in. dia. bear N 11 E 9 lks. dist. of
 a W. Walnut 7 " " " N 11 W 35 " "
 41.00 Last mentioned brook Cr. S 30 E.
 47.00 a Sycamore 26 in. dia.
 47.20 last mentioned brook Cr. N 15 E.
 80.00 Let a post Cor. to Sect. 27, 28, 33 & 34, from
 which a W. Oak 10 in. dia. bear N 9 E 42 lks. dist. of
 a Beech 12 " " " N 13 W 39 " "
 Land hilly & poor, timber W. Oak & Gum
 undergth. Dogw^d. Ironwood & Sassafras.

T9N-R3E-2^d. Mer. Indiana

367

East Outland^m between Secs. 27 & 34, T9N, R3E.
 40.00 Set temp^t. q^r. Sec. post
 77.50 at Brook 6 lks. wide Cr. North
 80.00 Intersected the N & S. line 200 lks. S. of post
 Land very hilly & poor, timber W & B. Oak & Hickory
 underg^m. W. Oak, Hickory & Sassafras.

West Corrected between Secs. 27 & 34, T9N, R3E.
 40.00 Set the q^r. Sec. post at average dist. from which
 a W. Oak 20 in. diam. bears N 58 E 5 lks. dist. of
 an Ash 5 " " " S 14 W 14 " "
 80.00 to Sec. Corner.

North Between Secs. 27 & 28, T9N, R3E.
 14.70 a W. Oak 18 in. diam.
 40.00 Set the q^r. Sec. post, from which
 a W. Oak 18 in. diam. bears N 43 E 39 lks. dist.
 a Beech 12 " " " S 74 W 19 " "
 50.50 a Stream 50 lks. wide Cr. West
 58.05 a W. Oak 24 in. diam.
 80.00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which
 a W. Oak 24 in. diam. bears N 12 E 9 lks. dist. of
 a Elm 30 " " " S 13 W 47 " "
 Land hilly & poor, timber W & B. Oak, Hickory
 & Beech, underg^m. Dogwood & Ironwood

East Outland^m between Secs. 26 & 27, T9N, R3E.
 40.00 Set temp^t. q^r. Sec. post.
 47.50 a Brook 8 lks. wide Cr. S 10 W
 79.00 a Elm 10 " " " S 5 W
 80.00 Intersected the N & S. line 60 lks. S. of post
 Land timber &c. same as on the last mile

T9 N. R3 E. 2nd Mer. Indiana

West Corrected between Sec. 22 & 27, T9 N. R3 E.
 40.00 Let the q. Sec. post at average dist. from which
 a Beech 12 in. dia. - bray N 69° W 35 lbs. dist. &
 a Sugar 12 " " " N 70° W 50 " "
 80.00 to Sec. Corner

North Between Sec. 21 & 22, T9 N. R3 E.
 7.00 a Stream 100 lbs. wide C. S. 140 W
 11.00 Same Stream " " " S 30 E.
 21.00 Same Stream " " " S 35 W
 24.00 an Ash 24 in. dia.
 34.00 a Brook 10 lbs. wide C. S. 146 W
 40.00 Let the q. Sec. post, from which
 a W. Oak 10 in. dia. - bray N 77° E 38 lbs. dist.
 & a Do 13 " " " S 24° W 14 " "
 55.00 a W. Oak 14 " "
 80.00 Let a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Chest. Oak 12 in. dia. - bray N 42° W 42 lbs. dist. &
 a B. Oak 26 " " " N 51° E 42 " "
 Land 1 1/2 mile hilly - last 1/2 level of 2nd State
 Bottom, timber W. Oak, Sugar & Beech
 undergth Spruce & Ash

East On Rand^m between Sec. 15 & 22, T9 N. R3 E.
 8.80 a Brook 6 lbs. wide C. S. 15 E.
 24.00 a Brook 8 " " " S 8 E.
 40.00 Let temp. q. Sec. post.
 43.00 a Brook 8 lbs. wide C. S. 120 E.
 76.50 a Do 12 " " " S 10 E
 80.12 Intersected the N & S line 50 lbs. S. of post
 Land hilly & poor, timber W. Oak, Hickory
 & Beech, undergth Dogw^o? & Ironw^o?. Dec. 30. 1879

T9 N. R3 E. 2^d. Mer. Indiana

West Corrected between Sec. 15 & 22, T9 N. R3 E.
 40.06 Set the q^r. Sec. post at average dist. from which
 a Hickory 12 in. diam. bears N 49 1/2 E 23 lks. dist. of
 a Gum 18 " " " " S 63 W 10 " "
 80.12 to Sec. Corner.

North Between Sec. 15 & 16, T9 N. R3 E.

22.50 a W. Oak 14 in. diam.

40.00 Set the q^r. Sec. post, which is a B. Oak 10 in. diam.
 from which a Hickory 6 in. diam. bears S 27 W 28 lks. dist.
 no other

53.50 at Brook 8 lks. wide Cr. S 18 W

62.65 a Chestnut Oak 18 in. diam.

80.00 Set a post cor. to Sec. 9, 10, 15 & 16, from which
 a Hickory 15 in. diam. bears N 50 E 10 lks. dist. of
 an Ironw. 6 " " " " S 47 W 33 " "
 Land hilly & poor, timber W, B & C. Oak, Hickory
 & Gum, undgth. Dogw. Ironw. & Sassafras

East On Rand^m. between Sec. 10 & 15, T9 N. R3 E.

36.50 at Brook 8 lks. wide Course S 18 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Intersected the N & S. line 35 lks. N. of post.
 Land hilly & poor, timber W, B & C. Oak & Hickory.
 undgth. Dogwood & Sassafras

West Corrected between Sec. 10 & 15, T9 N. R3 E.

40.00 a W. Oak 15 in. diam. Cor. at average dist. from which
 a B. Oak 7 in. diam. bears N 38 W 17 lks. dist.

80.00 to Sec. Corner.

North Between Sec. 9 & 10, T9 N. R3 E.

17.00 at Brook 12 lks. wide Cr. S 45 W

T9N-10E, 2^d Mer. Indiana

- 30.70 a Maple 7 in. dia.
 40.00 Set the q. Sec. post, from which
 a Dogwood 4 in. dia. bray N 67 E 28 lks. dist. of
 a Hickory 8 " " " N 88 W 28 " "
 47.75 a W. Oak 12 " "
 53.00 a Brook 25 lks. wide Cr. S 40 W
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a W. Oak 22 in. dia. bray N 37 E 27 lks. dist. of
 a Hickory 6 " " " S 35 1/2 W 28 " "
 Sand hills & poor timber W & E. Oak & hickory
 undergth Dogwood, Ironwood & Cassapara.

- East On Rand^m between Sec. 3 & 10, T9N. 10E.
 6.50 a Brook 6 lks. wide Cr. S 15 E.
 10.00 a do 6 lks. " " S 10 W
 21.00 a do 8 lks. " " S 45 W
 40.00 Set temp^y q. Sec. post
 79.80 Intersected the N & S. line at the Sec. Corner
 Sand hills & poor timber W, E & C. Oak and
 Hickory, undergth Dogwood & Cassapara

- West Corrected between Sec. 3 & 10, T9N. 10E.
 39.90 Set the q. Sec. post at average dist. from which
 a W. Oak 12 in. dia. bray N 31 W 46 lks. dist. of
 a do 6 " " " S 49 E 20 " "
 79.80 to Sec. Corner

- North Between Sec. 3 & 4, T9N. 10E.
 14.50 a W. Oak 13 in. dia.
 40.00 Set the q. Sec. post, from which
 a Chest. Oak 14 in. dia. bray South 24 lks. dist. of
 a W. Oak 8 " " " N 18 E 19 " "
 50.90 a W. Oak 15 " "

- 72.50 a stream 25 lks. wide Cr. N85W
 74.75 Intersected the N. boundary 396 lks. E. of post
 let a post Cor. to Sec. 3 & 4, from which
 a Hickory 14 in. dia. bray S59E38 lks. dist. of
 a Sugar 13 " " N58W28 " "
 Land hilly & poor, timber W. B. & C. Oak &
 Hickory, underg. ⁴ Dogw. & Ironwood

December 31st 1819

- North Between Sec. 32 & 33, T9 N. R3 E
 8.85 a Chestnut Oak 24 in. dia.
 40.00 let the gr. Sec. post, from which
 a W. Oak 13 in. dia. bray N68E21 lks. dist. of
 a Do 16 " " " N78W34 " "
 55.50 a Brook 10 lks. wide Course N40 E.
 63.10 a W. Oak 12 in. dia.
 80.00 let a post Cor. to Sec. 28, 29, 32 & 33, from which
 a Chest. Oak 12 in. dia. bray S89W11 lks. dist. of
 a Do 16 " " " N55E27 " "
 Land hilly & thickety, timber scattering W. B.
 Oak & Hickory, underg. W. Oak, Hickory & Sassafras.

- East Between Sec. 28 & 33, on Random
 40.00 let temp. gr. Sec. post
 72.50 a Brook 25 lks. wide Cr. S5 E.
 78.20 Intersected the N. & S. line 63 lks. N. of post
 Land hilly & poor, timber W. B. Oak & Hickory
 underg. ⁴ Dogw. W. Oak & Sassafras

- West Corrected between Sec. 28 & 33, T9 N. R3 E.
 39.10 let gr. Sec. post at average dist. from which
 a W. Oak 16 in. dia. bray S20E42 lks. dist. of
 a Beech 8 " " " N17W31 " "

T9N R3E 2^d Mer. Indiana

78.20 to Sec. Corner.

North Between Sect. 28 & 29, T9N R3E.

33.30 a W. Oak 11 in. dia.

40.00 Set the q^r. Sec. post, from which

a W. Oak 19 in. dia. bears N46E 78 lks. dist. of

a Hickory 9 " " " S62W 47 " "

53.50 a Sugar 9 in. dia.

80.00 Set a post Cor. to Sect. 20, 21, 28 & 29, T9N R3E,
from which

an Elm 14 in. dia. bears S33W 140 lks. dist. of

a Maple 10 " " " N29E 40 " "

This post is set in a stream 100 lks. wide est.

180 ft. Land hilly & poor, timber W. Oak
Hickory & Beech, undug. ^{tr} Dogwood & Hackberry.East Out Land ^m. between Sect. 21 & 28, T9N R3E.

6.50 a Creek 100 lks. wide runs S58W

13.50 Same stream runs North

40.00 Set temp^y. q^r. Sec. post

72.50 Last mentioned stream S10W

78.28 Intersected the N & S. line 62 lks. N. of post

Land level & 2^d rate Bottom timber W. Oak

Beech & Sugar.

West Corrected between Sect. 21 & 28, T9N R3E.

39.14 Set q^r. Sec. post at average dist. from which

a Beech 13 in. dia. bears S66W 16 lks. dist. of

a W. Oak 30 " " " N32E 14 " "

78.28 to Sec. Corner.

North Between Sect. 20 & 21, T9N R3E.

38.10 a Hickory 12 in. dia.

T9 N. R3 E. 2^d. Mer. Indiana

- 40.00 Let the g^r. Sec. post, from which
a W. Oak 18 in. dia. bear S70 E 11 lks. dist. of
a No 13 " " " 1897 162 " "
- 61.50 a W. Oak 9 " "
- 80.00 Let a post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 8 in. dia. bear N64 W 47 lks. dist. of
an Elm 9 " " " 143 E 37 " "
Land hilly & poor, timber W. & C. Oak, Hickory,
undergth. Dogw. & Ironwood

East Ont. Random between Sec. 16 & 21, T9 N. R3 E

- 40.00 Let temp^y. g^r. Sec. post
- 65.00 a brook 10 lks. wide Course N10 E
- 79.68 Intersected the N. S. line 12 lks. N. of post
Land hilly & poor, timber W. & C. Oak, Hickory
undergth. Dogwood & Ironwood.

West Cor. to Sec. 16 & 21, T9 N. R3 E.

- 39.84 Let the g^r. Sec. post, at average dist. from which
a W. Oak 9 in. dia. bear N18 W 26 lks. dist. of
a B. Oak 16 " " " 116 W 17 " "
79.68 to Sec. Corner January 1st 1890

North Between Sec. 16 & 17, T9 N. R3 E.

- 6.50 a Brook 25 lks. wide Course N10 W
- 10.00 a Beech 8 in. dia.
- 40.00 Let the g^r. Sec. post, from which
a Beech 13 in. dia. bear S59 E 46 lks. dist. of
a Gum 26 " " " N53 W 38 " "
- 46.00 a Brook 8 lks. wide Cr. S30 E.
- 59.65 a W. Oak 13 in. dia.
- 80.00 Let a post Cor. to Sec. 8, 9, 16 & 17, from which
a W. Oak 14 in. dia. bear North 46 lks. dist. of

T9N R3E, 2^d. Mer. Indiana

a W. Oak 12 in. dia. - bear S 15 W 11 lks. dist. of
Land hilly & poor, timber W & E. Oak & Hickory
undergth. Dogwood & Ironwood

East On Rand^m. between Sec. 9 & 16, T9N. R3E.

34.00 at Brook 10 lks. wide Cr. S 5 E.

40.00 at temp^y. of Sec. post

50.00 at Brook 15 lks. wide Course S 30 W

79.70 Intersected the N & S line 48 lks. N. of post.
Land hilly & poor, timber W & E. Oak, Hickory
& Gum, undergth. Dogwood & Sassafras

West Connected between Sec. 9 & 16, T9N. R3E.

39.85 a W. Oak 26 in. at average dist. from which

a W. Oak 18 in. dia. - bear S 50 E 23 lks. dist. of

79.70 to Sec. Corner

North Between Sec. 8 & 9, T9N. R3E

16.30 a W. Oak 30 in. dia.

40.00 at the of Sec. post, from which

a W. Oak 18 in. dia. - bear S 15 W 53 lks. dist. of

a Poplar 28 " " " N 11 W 26 " "

51.00 at Brook 6 lks. wide Cr. S 45 E

56.00 a W. Oak 11 in. dia.

70.60 at Brook 6 lks. wide Cr. S 5 E.

80.00 at a post Cor. to Sec. 4, 5, 8 & 9, from which

a W. Oak 24 in. dia. - bear N 76 W 21 lks. dist. of

a Do 18 " " " S 73 E 60 " "

Land hilly & poor, timber W & E. Oak & Hickory
undergrowth, Dogwood & Ironwood

East On Rand^m. between Sec. 4 & 9, T9N. R3E.

29.00 at Brook 6 lks. wide Cr. S 30 E

T9 N. R3 E. 2nd Mer. Indiana

40.00 Set the gr. Sec. post temporary
 80.20 Intersected the N & S. line 59 lks. N. of post
 Land hilly & poor, timber W. Oak, P. Oak, Hick.
 & Gum, undergth. Dogwood & Ironwood

Met Corrected between Secs. 4 & 9, T9 N. R3 E.
 40.10 Set the gr. Sec. post at average dist. from which
 a W. Oak 18 in. dia. bears S 78 E 32 lks. dist. of
 a Gum 5 " " " N 73 W 7 " "
 80.20 to Sec. Corner.

North Between Secs. 4 & 5, T9 N. R3 E.
 17.35 a W. Oak 22 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Chest. Oak 16 in. dia. bears S 3 E 39 lks. dist. of
 a Do 14 " " " N 84 E 5 " "
 64.50 a W. Oak 13 " "
 70.50 Intersected the N. boundary 404 lks. East of
 post, set a post Cor. to Sec. 4 & 5, from which
 a Beech 7 in. dia. bears N 45 E 4 lks. dist. of
 a C. Oak 12 " " " N 57 W 67 " "
 Land hilly & poor, timber W. & C. Oak & Hick.

January 3rd 1828

North Between Secs. 31 & 32, T9 N. R3 E
 16.35 a W. Oak 30 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Chest. Oak 14 in. dia. bears S 47 W 13 lks. dist. of
 a Do 13 " " " N 23 E 21 " "
 68.00 a Beech 14 in. dia.
 71.50 at Brook 6 lks. wide Cr. S 80 W
 80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which
 a Chest. Oak 8 in. dia. bears N 39 E 14 lks. dist. of

T9 N. R3 E. 2^d. Mer. Indiana

a Chest. Oak 12 in. diam. bearing S28 $\frac{1}{2}$ W 31 $\frac{1}{2}$ lks. dist. of
Land very hilly & poor, timber W. Oak and
Hickory, undergth W. Oak, hickory & Sassafras

East On Rand^m between Secs. 29 & 32, T9 N. R3 E

40.00 Set temp^y. of Sec. post

81.00 Intersected the N & S. line 54 lks. S. of the post
Land hilly & poor, timber W. Oak, hickory &
Gum, undergth Dogw^d. hickory W. Oak & Sassafras

West Corrected between Secs. 29 & 32, T9 N. R3 E

40.50 Set of Sec. post at average dist. from which
a ——— 9 in. diam. bearing N33 $\frac{1}{2}$ W 16 lks. dist. of
a Chest. Oak 10 " " " S36E 18 " "

81.00 to Sec. Corner

West Between Secs. 30 & 31, T9 N. R3 E.

19.45 a W. Oak 12 in. diam.

29.50 a Brook 8 lks. wide Cr. N60W

40.00 a Sugar 5 in. diam. for of. Corner, from which
a Beech 12 in. diam. bearing S45W 29 lks. dist. of

58.75 a Chest. Oak 12 in. diam.

87.50 Intersected the W. boundary 29 lks. S. of the post
Set a post Cor. to Secs. 30 & 31, from which
a W. Oak 13 in. diam. bearing S43W 22 lks. dist. of
a do 10 " " " N68E 30 " "
Land hilly & poor, timber W. Oak & hickory
undergth Hickory, W. Oak & Sassafras

North Between Secs. 29 & 30, T9 N. R3 E.

10.95 a Chest. Oak 12 in. diam.

40.00 Set the of. Sec. post, from which
a Gum 16 in. diam. bearing N14E 32 lks. dist. of

T9 N. R3 E. 2^d. Mer. Indiana

a Hickory 15 in. dia. bear S43W 30 lks. dist.
 50.45 a Ch. Oak 11 in. dia.
 80.00 Let a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Poplar 48 in. dia. bear N42W 8 lks. dist. of
 a Sugar 10 " " " S5E 13 " "
 Land hilly & poor, timber W & C. Oak & Hickory
 underg. W. Oak, Hickory & Mulberry

East On Land^m between Sec. 20 & 29, T9 N. R3 E.
 19.00 a Stream 100 lks. wide run N30E.
 40.00 Let temp. q. Sec. post
 47.50 a Brook 8 lks. wide Cr. S30W.
 80.50 Intersected the N & S. line 12 lks. N. of post
 Land level 2^d. rate bottom, timber Sugar, Beech,
 & W. Oak, underg. th Spruce Jan. 4th 1820

West Corrected between Sec. 20 & 29, T9 N. R3 E
 40.25 Let q. Sec. post at average dist. from which
 a Beech 8 in. dia. bear S84E 31 lks. dist. of
 a Sugar 14 " " " N66W 25 " "
 80.50 to Sec. Corner.

West 1 Between Sec. 19 & 30, T9 N. R3 E.
 5.50 a Stream 125 lks. wide Course West
 13.00 left the Stream running S60W
 22.55 an Ash 16 in. dia.
 30.00 Last mentioned Stream run N60W
 40.00 Let the q. Sec. post, from which
 a W. Oak 28 in. dia. bear N60E 46 lks. dist. of
 a P. Oak 36 " " " S60W 10 " "
 49.60 a Poplar 48 " "
 86.00 Intersected the N. boundary 13 lks. S. of the post
 Let a post Cor. to Sec. 19 & 30, from which

T9 N. R3 E. T. Mer. Indiana

a W. Oak 12 in. dia. bear N76 E 60 lks. dist. of
 a Maple 5 " " " S16 W 6 " "
 1st 1/2 mile part rich bottom, part hilly - last
 1/2 mile poor & hilly, timber W. Oak, Sycamore, Beech
 underg^d. Spice & Dogwood

North Between Secs. 19 & 20, T9 N. R3 E.

4.00 a Stream 125 lks. wide runs S50 W.
 25.00 a Brook 14 in. dia.
 40.00 Let the gr. Sec. post, from which
 a W. Oak 24 in. dia. bear S52 W 48 lks. dist. of
 a Do 36 " " " " N47 E 19 " "
 56.97 a W. Oak 12 " "
 80.00 Let a post Cor. to Secs. 17, 18, 19 & 20, from which
 a W. Oak 12 in. dia. bear N59 1/2 W 25 lks. dist. of
 a Maple 11 " " " " S49 E 20 " "
 Land hilly & poor, timber W. Oak & Hickory
 underg^d. W. Oak, Dogwood & Ironwood

East On Rand. between Secs. 17 & 20, T9 N. R3 E.

40.00 Let temp. gr. Sec. post
 44.50 a Brook 10 lks. wide Cr. S10 E.
 76.50 a Do 25 " " " " S10 E.
 80.00 Intersected the N & S. line 96 lks. N. of post
 Land poor & hilly, timber W. Oak & Hickory
 underg^d. Dogwood, Ironwood & W. Oak

West Corrected between Secs. 17 & 20, T9 N. R3 E.

40.00 Let the gr. Sec. post at average dist. from which
 an Ash 11 in. dia. bear N86 1/2 E 52 lks. dist. of
 a W. Oak 12 " " " " S29 W 20 " "
 80.00 to Sec. Corner

379

T9 N. R3 E. 2^d. Mer. Indiana

West Between Secs. 18 & 19, T9 N. R3 E.

22.18 a Hickory 10 in. dia.

40.00 Set the q. Sec. post, from which
a Hickory 6 in. dia. bears N 16 W 14 lks. dist. of
a Sugar 6 " " " S 9 E 25 " "

42.00 a Stream 30 lks. wide Cr. S 15 W

53.68 a W. Oak 13 in. dia.

84.50 Intersected the W. boundary 53 lks. N. of post.
Set a post Cor. to Secs. 18 & 19, from which
a W. Oak 15 in. dia. bears N 56 E 14 lks. dist. of
a Do 18 " " " South 19 " "
Land hilly & poor, timber W & B. Oak & hickory.
underg^d. W. Oak, Dogwood & Hickory

North Between Secs. 17 & 18, T9 N. R3 E.

16.95 a W. Oak 15 in. dia.

40.00 Set the q. Sec. post, from which
a W. Oak 16 in. dia. bears S 35 W 16 lks. dist. of
a Do 11 " " " N 37 E 56 " "

68.14 a Chest. Oak 9 in. dia.

80.00 Set a post Cor. to Secs. 7, 8, 17 & 18, from which
a W. Oak 7 in. dia. bears S 59 W 35 lks. dist. of
a C. Oak 8 " " " N 83 E 34 " "
Land hilly & poor, timber W & C. Oak & hickory.
underg^d. W. Oak & Sassafras.

East On Rand^d. between Secs. 8 & 17, T9 N. R3 E.

40.00 Set temp. q. Sec. post

44.00 a Brook 6 lks. wide Cr. S 20 E

80.40 Intersected the N. & S. line 82 lks. N. of post
Land hilly & poor, timber W, B & C. Oak & hickory.
underg^d. Dogwood &c. Jan. 5th 1890

T9 N. R3 E. 2. Mer. Indiana

Nest Connected between Sec. 8 & 17, T9 N. R3 E.
 40.20 Set q. Sec. post at average dist. from which
 a W. Oak 15 in. dia. bears S49°36' E. 36 lks. dist. of
 a Do 12 " " " N29° E 38 " "
 80.40 to Sec. Corner.

Nest 1 Between Sec. 7 & 18, T9 N. R3 E.
 25.00 a Brook 25 lks. wide C. S. 154 W
 28.50 a Beech 12 in. dia.
 37.00 a Brook 6 lks. wide C. S. 120 E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 10 in. dia. bears N35° W 28 lks. dist. of
 a Do 14 " " " N23° E 8 " "
 47.60 a P. Oak 24 " "
 61.60 a Brook 7 lks. wide C. S. 184 W.
 81.00 Intersected the W. boundary 160 lks. N. of post
 Set a post Cor. to Sec. 7 & 18, T9 N. R3 E. from which
 a W. Oak 11 in. dia. bears S89° E 26 lks. dist. of
 a Do 7 " " " N81° W 30 " "
 Land hilly & poor, timber W. & C. Oak & Hickory
 underg. Dogwood, W. Oak &c.

North Between Sec. 7 & 8, T9 N. R3 E.
 20.30 a W. Oak 16 in. dia.
 40.00 Set the q. Sec. post, from which
 a W. Oak 13 in. dia. bears S40° E 14 lks. dist. of
 a Do 14 " " " N82° W 24 " "
 46.50 a W. Oak 12 " "
 73.00 a Brook 6 lks. wide C. S. 145 W
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 a W. Oak 18 in. dia. bears S78° E 31 lks. dist. of
 a Sugar 10 " " " S78° W 29 " "
 Land hilly & poor, timber W. & C. Oak & Hickory.

T9 N. R3 E. 2^d. Mer. Indianaundergth W. Oak, Dogwood & Ironwood

East On Randm. between Secs. 5 & 8, T9 N. R3 E.

4.10 a Brook 6 lks. wide C.S. S10 W

40.00 Set tempf. g. Sec. post

79.40 a Brook 6 lks. wide C.S. S5 E.

80.16 Intersected the N & S. line at the post
Land hilly & poor, timber W. B & H. Oak & Hick.
undergth W. Oak & Dogwood

West Corrupted between Secs. 5 & 8, T9 N. R3 E.

40.08 Set g. Sec. post at average, dist. from which
a W. Oak 14 in. diam. bears S19 E. 24 lks. dist. of
a do 12 " " " N10 W 17 " "

80.16 to Sec. Corner.

West Between Secs. 6 & 7, T9 N. R3 E

13.80 a W. Oak 18 in. diam.

33.50 a Brook 8 lks. wide C.S. S20 E.

40.00 Set the g. Sec. post, from which
a W. Oak 13 in. diam. bears N85 W 38 lks. dist. of
a W. Oak 24 " " " N86 E 39 " "

63.00 a W. Oak 24 " "

78.50 Intersected the W. boundary 15 1/2 lks. N. of
the post. Set a post Cor. to Sec. 6 & 7, from which
a W. Oak 10 in. diam. bears N77 E 26 lks. dist. of
a do 6 " " " S42 W 19 " "
Land very hilly poor & thickety, timber W.
C & W. Oak & Hick., undergth W. Oak, Hick & Dogw.

North Between Secs. 5 & 6, T9 N. R3 E.

22.50 a W. Oak 12 in. diam.

40.00 Set the g. Sec. post, from which

T⁹N. R³E. T². Mer. Indiana

a W. Oak 12 in. dia. bears S13 E 60 lks. dist. of
 a Poplar 15 " " " S128 E 7 " "

62.10 a Chest. Oak 12 in. dia.

66.20 Intersected the N. boundary 4.06 lks. E. of post

Set a post Cor. to Sec. 5 & 6, from which

a C. Oak 17 in. dia. bears S78 W 56 lks. dist. of

a Beech 14 " " " N84 E 50 " "

Land hilly & poor, timber W. Oak & Hickory
 under Dogwood, W. Oak &c.

Surveyed by James Hedges, A. S.

Comp.

I Certify that the foregoing transcript of field notes of Township
 N⁹. R³. Range N³ East, T². Mer. Indiana, has been Comp.
 with the original notes in this office & found to be correct.

Surveyor General's Office
 Cincinnati, May 10th 1843

E. S. Haines
 Sur. Genl.